CUMULATIVE INDEX 1992

Volume 23

January	COMMON HAND PROBLEMS, pages 1–200
April	COMPLICATIONS OF TOTAL HIP ARTHROPLASTY, pages 201–368
July	THE DEGENERATIVE NECK, pages 369–515
October	THE PATELLOFEMORAL JOINT, pages 517–721

Note: Page numbers for complete issues and articles are in **boldface** type.

Acetabular preparation, in total hip revision arthroplasty, 316–317
Acetabulum, periprosthetic bone loss of, **279–290**
  classification of defects, 280–282
  reconstruction considerations, 282–285
  results, 285–286
Acupuncture, for cervical disk disease, 446
Adduction/abduction contractures, leg length discrepancies from, 207–208
Aeromonas hydrophila, hand infections from, 183
Alignment, as surgical indication in cervical myelopathy, 498
Amputation, of fingertip, 149–156
Anatomy, of patellofemoral joint, 546–548, 555–556
  of plicae, 613–615
Anterior cervical corpectomy and strut graft arthrodesis, for cervical myelopathy, 495, 497, 498, 499, 500, 502, 503
Anterior cervical diskectomy, and fusion, for cervical radiculopathy, 462–464
  without fusion, for cervical radiculopathy, 464–466
  with interbody arthrodesis, for cervical myelopathy, 495, 496, 497, 498, 499, 500, 501, 502, 503
Anterior cervical fusion, for cervical radiculopathy, 469–470
Anterior cervical grafts, types of, **475–486**
  complications, 484–485
  historical perspective, 475–476
  surgical approach and exposure, 476–479
  techniques, 479–483
Anterior stabilization of kyphotic cervical spine, 508–509
Anteromedialization, of patellofemoral joint, 637–638
  Fulkerson's technique, 640–642
Antibiotics, for hand infections, 171–173
  parenteral, for established infection after total hip arthroplasty, 269–270
  prophylactic, in total hip arthroplasty, 260–261, 267–268, 269
Antidepressants. See *Tricyclic antidepressants*.
Antimicrobial agents, prophylactic, in total hip arthroplasty, 260–261
Antithrombin III, in prophylaxis of deep venous thrombosis, 363
Aquatic therapy, for patellofemoral joint disorders, 562–563
Arthritis, patellofemoral, patellar resurfacing for, **665–673**
  septic, of hand, 178–180
Arthrodesis, total wrist, for scaphoid fractures, 15
Arthrography, for chronic wrist pain, 54–55, 57, 60
  in evaluation of painful total hip arthroplasty, 307–308
  of patellofemoral joint, 527, 532, 537, 591
  for thumb metacarpophalangeal joint injury, 45–46
  in total hip arthroplasty sepsis, 262
Arthroplasty, patellofemoral, complications, 703
  total hip. See *Total hip arthroplasty*.
  total knee. See *Total knee arthroplasty*.
Arthroscopic debridement, of patellofemoral joint, 595–596
Arthroscopic lateral release and the lateral patellar compression syndrome, **601–612**
Arthroscopic lateral retinacular release, 596–598
Arthroscopy, diagnostic, for patellofemoral pain, 595
  for evaluation and treatment of patellofemoral joint, **587–600**
    anatomy/function/biomechanics, 587–588
    classification, 591–594
    history, 588
    physical examination, 588–589
    roentgenographic evaluation, 589–591
    treatment, 594–598
Aspiration, in evaluation of painful total hip arthroplasty, 308
Aspirin, in prophylaxis of deep venous thrombosis, 362
  for treatment of cervical disk degeneration, 426
Atasoy flap, for fingertip amputation, 152–153
Avascular necrosis, and patellar fracture, 680
  of scaphoid, 14
Avulsion, of nailbed, 157–158
Aztreonam, for hand infections, 173

Bacterial infections, of hand, 174–181

Bailey and Badgley technique, for anterior cervical grafts, 480–481
BAPS board, for patellofemoral rehabilitation, 560
Bennett's fractures, 27
Biomaterial failure, in total hip arthroplasty, **211–217**
corrosion, 212, 215
fracture, 212–214
wear, 212, 214–215
Bites, human, of hand, 181
Blastomycosis, of hand, 183
Bleeding, from NSAIDs, 427
Blood loss, during trochanteric osteotomy, 328–329
Body mechanics, for cervical disk disease, 439–440
Bone cement fracture, in total hip arthroplasty, 212–213
Bone grafting, for intraoperative femoral fractures in total hip arthroplasty, 252
Bone loss, periprosthetic, of acetabulum, **279–290**
classification of defects, 280–282
reconstruction considerations, 282–285
results, 285–286
proximal femoral, after total hip arthroplasty, **291–302**
etiology, 291–293
patients, 299
preoperative planning, 293–294
results, 299–300
surgical management, 294–299
Bone scan, for chronic wrist pain, 55
for metacarpal fractures, 19
Boutonniere deformity, 145
Braces, for patellofemoral pain, 551–552, 564
Brachialgia Cord syndrome, 489
Brown-Sequard syndrome, 489
Burns of upper extremity, thermal and electrical, acute management of, **161–169**

Calcific tendinitis, 71–72
Carpal scaphoid fractures. See *Scaphoid fractures.*
Carpal tunnel syndrome, **103–109**
classification, 103–104
controversial issues in operative release of transverse carpal ligament, 107–108
diagnosis of compression neuropathy, 104, 105
discovery of underlying cause, 104, 106–107
factors in pathogenesis of, 106
Carpometacarpal fracture-dislocations in index, middle, ring, and small fingers, 29
Casts, for scaphoid fractures, 11
Catches, patellar, 682–683
Cementless fixation of femoral component, failure of, in total hip arthroplasty, **335–346**
Cement removal, in total hip revision arthroplasty, 313–319
Central cord syndrome, 489
Cephalosporin, for hand infections, 172, 173
Cerclage techniques, for intraoperative femoral fractures in total hip arthroplasty, 252
Cervical angina syndrome, with degenerative cervical disease, 393
Cervical disease, degenerative, anatomy, 381–384
syndromes of, **381–394**
Cervical disk degeneration, analysis of medications used in treatment of, **421–433**
Cervical disk disease, natural history and pathogenesis of, **369–380**
role of physical therapy in treatment of, **435–449**
Cervical grafts, anterior, types of. See *Anterior cervical grafts.*
Cervical spine, anatomy of, 369–370
degenerative, radiographic evaluation of, **395–403**
myelopathy, 377–378
postlaminectomy kyphosis, 505–511
radicular symptoms in, 375–377
Cervical spondylosis, radiographic evaluation of, 397–402
Cervical spondylotic myelopathy, **487–493**
differential diagnosis, 490–491
history and clinical syndromes, 488–489
motor findings, 489–490
natural history, 491–492
other features, 490
prevalence, 488
reflexes, 490
sensory findings, 490
Chondromalacia patellae, historical perspectives, **517–521**
Maquet osteotomy for, 645–656
patellectomy for, 659
term defined, 517, 520
Chronic wrist pain. See *Wrist pain, chronic.*
Clicks, patellar, 682–683
Closed-chain tools, for patellofemoral rehabilitation, 560
Closed reduction, of metacarpal neck fractures, 23–24
of metacarpal shaft fractures, 26
Clostridium perfringens, hand infections from, 183
Cloward technique, for anterior cervical grafts, 481–482
Coccidiomycosis, of hand, 183
Cold, for cervical disk disease, 442
Coliform, hand infections from, 171, 178
Combined medial and lateral syndrome, and spondylosis, 489
Comminuted distal radius fractures, **1–6**
classification, 2
complications, 4–5
pathomechanics, 1–2
treatment, 2–4
Compression neuropathy, and carpal tunnel syndrome, 104, 105
Computed tomography, for diagnosis of nerve root compression, 407–408
of metacarpal fractures, 19
of patellofemoral joint, 528–538, 590–591
Corrosion, of biomaterials in total hip arthroplasty, 212, 215
Corticosteroid injection, for carpal tunnel syndrome, 106–107
for cubital tunnel syndrome, 118–119
for tendinitis, 72–73
Corticosteroids, for treatment of cervical disk degeneration, 424–425
C-reactive protein, in evaluation of painful total hip arthroplasty, 305–306
Cross-finger flap, for fingertip amputation, 155–156
Crushing, of nailbed, 157–158
Cubital tunnel syndrome, **111–123**
anatomy and physiology, 111–112
anterior transposition, 120–122
diagnosis, 112–115
etiology and differential diagnosis, 116–117
prevention and conservative treatment, 117–119
simple decompression, 119–120
surgery, 119

Debridement, for established infection after total hip arthroplasty, 270
Decompression, as surgical indication in cervical myelopathy, 495–497
Deep fascial space infections, of hand, 178
Deep venous thrombosis, in total hip arthroplasty, **359–364**
diagnosis, 360–361
pathogenesis, 359–360
prophylaxis, 361–363
recommendations, 363
treatment, 363
Degenerative cervical disease. See *Cervical disease, degenerative.*
Degenerative neck, **369–515**
Delayed reimplantation, for infected total hip arthroplasty, 272–273
Delayed union, of scaphoid fractures, 13
De Quervain's disease, 67–69
Dextran, in prophylaxis of deep venous thrombosis, 362
Digital flexor tendinitis, and trigger digits, 71
Diphosphonates, in preventing heterotopic ossification after total hip arthroplasty, 349–351
Direct exchange, for infected total hip arthroplasty, 273–275
Diskectomy, anterior cervical, for cervical myelopathy, 495, 496, 497, 498, 499, 500, 501, 502, 503
for cervical radiculopathy, 462–466
Dislocation(s), metacarpal. See *Metacarpal fractures and dislocations.*
metacarpophalangeal, 29–30
patellar, 573–574
acute, 624
chronic, 571–572
patellectomy for, 658–659
recurrent, 571
with trochanteric osteotomy, 326–327
Distal forearm and wrist injuries, 142–143
Distal interphalangeal joint, injuries to, 144–145
Distal realignment, for patellofemoral dysfunction, 627–629
of patellofemoral joint, **631–643**
anteromedialization, 637–638
biomechanical considerations, 634–635
clinical examination, 632–633
complications, 638–639
Fulkerson's technique of anteromedialization, 640–642
historical review, 635–637
postoperative care, 642
radiographic evaluation, 633–634
recommended treatment approach, 639–640
symptoms, 631–632
Doppler ultrasonography, for diagnosis of deep venous thrombosis, 360–361
Dorsiflexion intercalated segment instability, with scaphoid malunion, 15–16
Dorsum of hand, injuries to, 143
Down's syndrome, and patellofemoral pain, 570
Drainage, for established infection after total hip arthroplasty, 270

Eikenella corrodens, hand infections from, 171–172, 181
Electrical and thermal burns of upper extremity, acute management of, **161–169**
Electrical stimulation, for cervical disk disease, 444–446
for patellofemoral joint disorders, 559–560
Elevation, in prophylaxis of deep venous thrombosis, 361–362
Enchondroma, of hand, 187–188
Ergonomics, for cervical disk disease, 440
Ergotamine, in prophylaxis of deep venous thrombosis, 363
Erythrocyte sedimentation rate, in evaluation of painful total hip arthroplasty, 305, 306
Escharotomy, for upper extremity burns, 162–163
Excessive lateral pressure syndrome, 604–605
Exercise, for cervical disk disease, 435–439
for patellofemoral joint disorders, 558–560
for patellofemoral pain, 550–551
for tennis elbow, 77–79
Extensor carpi ulnaris tendinitis, 70
Extensor compartments, tendinitis of, 67–70
Extensor digiti minimi tendinitis, 70
Extensor indicis proprius syndrome, 69–70
Extensor mechanism, disruptions of, **687–695**
clinical presentation, 687–688
patellar tendon disruption, 691–695
quadriceps tendon disruption, 688–691
duplication, 569–570
rupture, 684
Extensor pollicis longus tendinitis, 69
Extensor tendon function, skeletal length requirement, in metacarpophalangeal joint, 35–36
Extensor tendon injuries, **141–148**
anatomy, 141–142
closed injuries, 145–146
injury patterns, 142
open injuries, 142–145
outcomes, 146–147
rehabilitation, 146
External fixation versus pins and plaster, for comminuted distal radius fractures, 3–4
External fixators, for open fractures of hand, 31–32
External iliac artery injury, in total hip arthroplasty, 219–222
External iliac vein injury, in total hip arthroplasty, 219–222

Failed surgical treatment, for cubital tunnel syndrome, 121–122
Fascial space infections, of hand, 178
Fasciotomy, after electrical injuries, 168
Felons, as hand infection, 175–176
Femoral bone loss, proximal, after total hip arthroplasty, **291–302**
etiology, 291–293
patients, 299
preoperative planning, 293–294
results, 299–300
surgical management, 294–299
Femoral component, failure of cementless fixation of, in total hip arthroplasty, **335–346**
Femoral component extraction, in total hip revision arthroplasty, 315–316
Femoral fractures, associated with total hip arthroplasty, **249–257**
Femoral nerve palsies, after total hip arthroplasty, 230–231
Femoral preparation, in total hip revision arthroplasty, 317–319
Femoral stem breakage, in total hip arthroplasty, 212

Femoral vessel injury, in total hip arthroplasty, 222–224
Femur, fractures of, associated with total hip arthroplasty, 249–257
Fibrinogen scanning, for diagnosis of deep venous thrombosis, 361
Fibro-osseous tunnel, and phalangeal shaft fractures, 36–37
Fingertip and nailbed injuries, **149–159**
Fingertip injuries, laceration, 149
  traumatic amputation, 149–156
Finkelstein's test, for De Quervain's disease, 68
  for wrist pain, 51
Flaps, for fingertip amputation, 152–156
Flexor carpi radialis tendinitis, 71
Flexor carpi ulnaris tendinitis, 70–71
Flexor compartments, tendinitis of, 70–72
Flexor pollicis longus, repair of, 134
Flexor tendon injuries, acute, **125–140**
    anatomy and physiology, 125–127
    complications, 136–137
    diagnosis, 129–130
    flexor pollicis longus, 134
    operative technique, 130–134
    partial laceration, 134
    postoperative rehabilitation, 134–136
    primary repair, 130
    sheath repair, 134
    tendon injury, 128–129
Flexor tendons, and phalangeal shaft fractures, 36–37
Forearm, common tendinitis problems in, **65–74**
Fracture-dislocations, in index, middle, ring, and small fingers, 29
Fractures, Bennett's, 27
  of biomaterials in total hip arthroplasty, 212–214
  comminuted distal radius, **1–6**
    classification, 2
    complications, 4–5
    pathomechanics, 1–2
    treatment, 2–4
  femoral, associated with total hip arthroplasty, **249–257**
  after Maquet osteotomy, 651
  metacarpal head, 20–23
  metacarpal neck, 23–25
  metacarpal shaft, 25–26
  open, of hand, 30–32
  patellar, 574–576, 680–682
    patellectomy for, 658
  patellar stress, 581
  Rolando's, 27–28
  scaphoid, **7–17**
    acute, 10–11
    acute displaced, 11–13
    anatomy and kinematics, 7
    avascular necrosis, 14
    classification, 10
    clinical evaluation, 7–9
    complex, 14
    delayed union, 13
    differential diagnosis, 9
    malunion, 15–16
    nonunion, 13–14
    radiographic evaluation, 9–10
    salvage procedures, 15
    treatment, 10–14
  thumb carpometacarpal joint, 27–28
  thumb metacarpal shaft, 26–27
  of tibial tuberosity, 576
Fulkerson's technique of anteromedialization, 640–642
Fungal infections, of hand, 182–183

Gamekeeper's thumb, **41–48**
Ganglion cyst, of hand, 189–190
Gas-forming infections, of hand, 183
Gastrointestinal effects, from NSAIDs, 427–428
Gentamicin, for hand infections, 173
Giant cell tumors of tendon sheath, of hand, 190
Glomus tumors, of hand, 194
Glucocorticoids, for treatment of cervical disk degeneration, 424–425
Gluteal vessel injury, in total hip arthroplasty, 224
Glycocalyx, in total hip arthroplasty sepsis, 262–263
Glycosaminoglycans, and cervical disk disease, 370
Grafts, anterior cervical, types of. See *Anterior cervical grafts.*
  bone, for intraoperative femoral fractures in total hip arthroplasty, 252
Grind test, for wrist pain, 51
Grip strength test, for wrist pain, 51, 53

Hand, acute flexor tendon injuries, **125–140**
  acute management of thermal and electrical burns of upper extremity, **161–169**
  carpal tunnel syndrome, **103–109**
  chronic wrist pain, **49–64**
  comminuted distal radius fractures, **1–6**
  common tendinitis problems in, **65–74**
  common tumors, **187–196**
  cubital tunnel syndrome, **111–123**
  extensor tendon injuries, **141–148**
  fingertip and nailbed injuries, **149–159**
  gamekeeper's thumb, **41–48**
  infections of, **171–185**
    anatomy, 171
    bacterial, 174–181
    diagnosis, 171
    fungal, 182–183
    gas-forming, 183
    host factors, 173
    microbiology and antibiotics, 171–173
    mycobacterial, 183
    treatment, 173–174
    viral, 181–182
  metacarpal fractures and dislocations, **19–33**
  osteoarthritis at base of thumb, **83–101**
  scaphoid fractures, **7–17**
  tennis elbow, **75–82**
  treatment principles for proximal and middle phalangeal fractures, **35–40**
Hand problems, common, **1–200**
Hard disk disease, surgery for, 469
Headaches, in degenerative cervical disease, 389, 391–392
Head-neck junction corrosion, in total hip arthroplasty, 215
Healing by secondary intention, of fingertip amputation, 149–151
Heat, for cervical disk disease, 441–442
Hemangioma, of hand, 194–195
Hematomas, after total hip arthroplasty, 269
  subungual, 156
Heparin, for deep venous thrombosis, 362–363
Herbert screw, for scaphoid fracture fixation, 12–13, 14

Herniation, soft disk, surgery for, 468–469
Herpes simplex virus, of hand, 181–182
Heterotopic bone formation, after total hip arthroplasty, **347–358**
classification, 348–349
etiology, 347–348
prevention, 349–356
resection, 356
Heterotopic ossification, and trochanteric osteotomy, 327–328
High velocity-low amplitude manipulation, 453
Histoplasmosis, of hand, 183
Human bites, of hand, 181
Hydroxyapatite coating fracture, in total hip arthroplasty, 213–214
Hypertension, from NSAIDs, 427

Impedance plethysmography, for diagnosis of deep venous thrombosis, 361
Inclusion cyst, of hand, 190–191
Index finger, carpometacarpal fracture-dislocations of, 29
Indium 111 labeled WBC scan, in evaluation of painful total hip arthroplasty, 309
Infections. See also *Sepsis.*
of hand, **171–185**
anatomy, 171
bacterial, 174–181
diagnosis, 171
fungal, 182–183
gas-forming, 183
host factors, 173
microbiology and antibiotics, 171–173
mycobacterial, 183
treatment, 173–174
viral, 181–182
Inferior gluteal vessel injury, in total hip arthroplasty, 224
Infrapatellar contracture syndrome, 706–707
Instrumentation, for total hip revision arthroplasty, 314–315
Internal fixation, of phalanges, 38
Intersection syndrome, 69
Intramedullary pins, for phalangeal fractures, 39
Intramuscular transposition, for cubital tunnel syndrome, 120
Iohexol, for myelography of nerve root compression, 406
Iopamidol, for myelography of nerve root compression, 406
Isokinetics, for patellofemoral rehabilitation, 560

Kirschner wires, for scaphoid fracture fixation, 12, 13, 14
Kutler flap, for fingertip amputation, 152

Laceration, of fingertip, 149
of nailbed, 157
partial, of flexor pollicis longus, 134
Laser, for cervical disk disease, 446
Lateral epicondylitis. See *Tennis elbow.*
Lateral or radicular syndrome, and spondylosis, 489
Lateral patellar compression, natural history, 604–605
Lateral patellar compression syndrome, 571, 602–603
arthroscopic lateral release and, **601–612**
Lateral release, complications, in patellofemoral joint surgery, 611, 699–700
criteria, 605–606
failed, 608–610
rehabilitation, 610–611
technique, 606–608
Lateral retinacular release, for patellofemoral dysfunction, 624–625
Leg length discrepancy in total hip arthroplasty, **201–209**
definitions, 202
intraoperative assessment, 205, 207–208
postoperative assessment and measurement, 208
preoperative assessment, 203–204
preoperative planning, 204–205
techniques of measurement, 202–203
Levine strap, for patellofemoral pain, 551
Ligament instability, chronic wrist pain from, 60
Ligament surgery, complications of, in patellofemoral joint surgery, 705–706
Limb length inequality, apparent, 202
definitions, 202
and instability after total hip arthroplasty, 240–241
mixed, 202
true, 202
Lipoma, of hand, 191–192
Liver effects, of NSAIDs, 427
Low-power cold laser, for cervical disk disease, 446
Low velocity-high amplitude manipulation, 452–453

Mafenide acetate, for upper extremity burns, 163, 168
Magnetic resonance imaging, for diagnosis of nerve root compression, 408–415
of patellofemoral joint, 538–541, 591
of scaphoid fractures, 10
Mallet deformity, 145–146
Malunion, of distal radius, chronic wrist pain from, 60
scaphoid, 15–16
Manipulation, spinal, for cervical disk disease, 443–444
contraindications to, 454–455
high velocity-low amplitude, 453
indications for, 454
low velocity-high amplitude, 452–453
nonthrusting techniques of, 453–454
objective analysis of the literature, **451–459**
outcome studies on, 456–458
pathophysiology of, 455–456
Manual traction, for cervical disk disease, 443–444
Maquet osteotomy, **645–656**
biomechanical considerations, 646–647
complications, 650–651, 702–703
discussion, 654–655
postoperative management, 649–650
results, 651–654
surgical technique, 648–649
Massage, for cervical disk disease, 444
Mechanical traction, for cervical disk disease, 442–443
Medial epicondylectomy, for cubital tunnel syndrome, 120–121
Medialization procedures, for patellofemoral joint, 635–637
Medial or spinal syndrome, and spondylosis, 489
Medications, for treatment of cervical disk degeneration, analysis of, **421–433**
Metacarpal fractures and dislocations, **19–33**

Metacarpal fractures and dislocations *(Continued)*
anatomy, 19–20
carpometacarpal fracture-dislocations in index, middle, ring, and small fingers, 29
evaluation, 19
metacarpal head fractures, 20–23
metacarpal neck fractures, 23–25
metacarpal shaft fractures, 25–26
metacarpophalangeal dislocations, 29–30
open fractures, 30–32
thumb carpometacarpal joint fractures and dislocations, 27–28
thumb metacarpal shaft fractures, 26–27
Metacarpal head fractures, 20–23
Metacarpal neck fractures, 23–25
Metacarpal shaft fractures, 25–26
Metacarpophalangeal dislocations, 29–30
Metacarpophalangeal joint, injuries to, 143–144
Metrizamide, for myelography of nerve root compression, 406
Midcarpal arthrodesis, for scaphoid fractures, 15
Middle finger, carpometacarpal fracture-dislocations of, 29
Middle phalangeal fractures, treatment principles for, **35–40**
Middle phalangeal joint, injuries to, 144–145
Mineralocorticoids, for treatment of cervical disk degeneration, 424
Mini-breaks (pause gymnastics), for cervical disk disease, 440
Mini-tramp, for patellofemoral rehabilitation, 560
Moberg flap, for fingertip amputation, 153–155
Mobilization, for cervical disk disease, 443–444
in prophylaxis of deep venous thrombosis, 361–362
Modular component wear, in total hip arthroplasty, 215
Motor system syndrome, 489
Multiple epiphyseal dysplasia syndrome, 569–570
Muscle relaxants, for back spasms, 430–431
Muscle stimulation, for cervical disk disease, 445–446
Mycobacterial infections, of hand, 183
Myelography, for diagnosis of nerve root compression, 405–407
Myelopathy, cervical, 377–378
cervical spondylotic. See *Cervical spondylotic myelopathy.*
in degenerative cervical disease, 386–389
surgical management of, **495–504**

Nailbed injuries, 156–158
Nail-patella syndrome, 570
Neck, degenerative, **369–515**
Neck pain, in cervical disk disease, 374–375
in degenerative cervical disease, 389–391, 392
Neck school, for cervical disk disease, 439
Necrosis, skin, from tibial tubercle transfer, 638
Nerve injury, and trochanteric osteotomy, 328
Nerve root compression, diagnosis of, **405–419**
with computed tomography, 407–408
with magnetic resonance imaging, 408–415
with myelography 405–407
Nerve stimulation, for cervical disk disease, 444–445
Neural and vascular injury in total hip arthroplasty, **219–235**
Neural injury, in total hip arthroplasty, 226–230
pathology, 226–227
of peroneal nerve, 228–230
of sciatic nerve, 228–230
Neurilemomas, of hand, 193
Neurofibromas, of hand, 194
Neurolysis, for carpal tunnel syndrome, 107
Neuroma, chronic wrist pain from, 62
Neuropathies, chronic wrist pain from, 62
Nonsteroidal anti-inflammatory drugs (NSAIDs), for patellofemoral pain, 552–553, 564–565
in preventing heterotopic ossification after total hip arthroplasty, 351–352
for treatment of cervical disk degeneration, 425–428
Nonthrusting techniques of spinal manipulation, 453–454
Nonunion, after Maquet osteotomy, 651
radial, chronic wrist pain from, 60
scaphoid, 13–14
and trochanteric osteotomy, 321–325
Nuclear arthrography, in evaluation of painful total hip arthroplasty, 310
Nuclear medicine, in evaluation of painful total hip arthroplasty, 310

Obturator nerve palsies, after total hip arthroplasty, 231–232
Obturator vessel injury, in total hip arthroplasty, 224
Offset, femoral, and hip instability, 241
in leg length discrepancy, 204–205
Onychomycosis, of hand, 182
Open fractures, of hand, 30–32
Open reduction and internal fixation, for acute displaced scaphoid fractures, 11–13
for Bennett's fracture, 27
for metacarpal head fractures, 22–23
for metacarpal neck fractures, 24–25
for metacarpal shaft fractures, 26
for Rolando's fracture, 28
Opioids, for cervical disk degeneration, 431–432
Orthoroentgenography, for measurement of leg length discrepancy, 202
Osgood-Schlatter disease, 577–579
Osteoarthritis, of apophyseal joints in cervical spine, 396
at base of thumb, **83–101**
clinical presentation and physical examination, 89–90
functional anatomy, 83–86
pathophysiology of disease, 86–89
radiographic assessment, 90–91
treatment, 91–99
patellofemoral, Maquet osteotomy for, 645–656
patellectomy for, 659
Osteoblastoma, of hand, 188–189
Osteochondritis, of patella, 580–581
of trochlea, 581
Osteochondroma, of hand, 188
Osteochondrosis, of cervical spine, 395–396
Osteoid osteoma, of hand, 188–189
Osteolysis, and proximal femoral bone loss after total hip arthroplasty, 293
Osteomyelitis, of hand, 180–181
Osteotomy, Maquet, **645–656**
biomechanical considerations, 646–647
complications, 650–651, 702–703
discussion, 654–655
postoperative management, 649–650
results, 651–654
surgical technique, 648–649

trochanteric, complications of, **321–333**
blood loss and operative duration, 328–329
dislocation, 326–327
heterotopic ossification, 327–328
nerve injury, 328
nonunion, 321–325
pain, 325–326
recommendations, 329–331
wire migration, 328
indications for, 329–330
technique of, 330–331

Pain. See also *Neck pain; Referred pain.*
chronic wrist. See *Wrist pain, chronic.*
patellofemoral, conservative care for, **545–554**
and trochanteric osteotomy, 325–326
Palumbo brace, for patellofemoral pain, 551
Pantopaque, for myelography of nerve root compression, 405–406
Paronychia, 174–176
Pasteurella multocida, hand infections from, 172
Patella, chronic dislocation, 571–572
chronic subluxation, 571
congenital dislocation, 569
recurrent dislocation, 571
in total knee arthroplasty, **675–686**
Patella alta, 523, 525, 640
Patella baja, 523, 525
Patellae, types, 525
Patellar components, breakage, 677–680
Patellar instability, radiographic evaluation, 621–622
surgical treatment for, **619–630**
classification of patellofemoral dysfunction, 622–623
clinical examination, 619–621
treatment options, 624–629
Patellar resurfacing for patellofemoral arthritis, **665–673**
Patellar stress fracture, 581
Patellar tendon disruption, 691–695
Patellar tendon rupture, 576–577
Patellar tilt, arthroscopic evaluation, 604
radiographic evaluation, 603–604
Patellectomy, **657–663**
complications, 703–704
discussion, 660–661
historical review, 657–659
patellar biomechanics, 657
techniques, 659–660
Patellofemoral arthritis, patellar resurfacing for, **665–673**
Patellofemoral arthroplasty, complications, 703
Patellofemoral dysplasia, in children, 570–573
Patellofemoral joint, **517–710**
anatomy, 546–548
arthroscopic evaluation and treatment of, **587–600**
anatomy/function/biomechanics, 587–588
classification, 591–594
history, 588
physical examination, 588–589
roentgenographic evaluation, 589–591
treatment, 594–598
biomechanics, 548
distal realignment of, **631–643**
anteromedialization, 637–638
biomechanical considerations, 634–635
clinical examination, 632–633
complications, 638–639
Fulkerson's technique of anteromedialization, 640–642
historical review, 635–637
postoperative care, 642
radiographic evaluation, 633–634
recommended treatment approach, 639–640
symptoms, 631–632
imaging of, **523–543**
arthrography, 527
computerized tomography, 528–538
magnetic resonance imaging, 538–541
radiography, 523–525
radionuclide bone scan, 525–526
Patellofemoral joint disorders, rehabilitation, **555–566**
anatomy and function, 555–556
assessment, 556–558
medications, 564–565
psychologic concerns, 565
techniques, 558–564
Patellofemoral joint surgery, complications of, **697–710**
combined proximal and distal realignment, 701–702
infrapatellar contracture syndrome, 706–707
lateral release, 699–700
ligament surgery, 705–706
proximal realignment, 700–701
reflex sympathetic dystrophy, 707
salvage procedures, 702–704
tendon rupture repair/reconstruction, 704–705
trauma treatment, 704
Patellofemoral osteoarthritis, Maquet osteotomy for, 645–656
Patellofemoral pain, causes, 620
clinical evaluation, 548–550
conservative care for, **545–554**
differential diagnosis, 550
in pediatric patient, **567–585**
anatomy and development, 567–569
congenital and genetic disorders, 569–570
developmental patellofemoral knee pain, 570–583
treatment, 550–553
Patellofemoral replacement, 666–667
Pediatrics, patellofemoral pain in. See *Patellofemoral pain in pediatric patient.*
Penicillin G, for hand infections, 173
Percutaneous pinning, for comminuted distal radius fractures, 2–3
for metacarpal neck fractures, 24
Peripheral nerve tumors, of hand, 193–194
Periprosthetic bone loss of acetabulum, **279–290**
classification of defects, 280–282
reconstruction considerations, 282–285
results, 285–286
Peroneal nerve injury, in total hip arthroplasty, 228–230
Phalangeal fractures, internal fixation, 38
intramedullary pins, 39
middle, treatment principles for, **35–40**
proximal, treatment principles for, **35–40**
rehabilitation, 39
surgical approaches, 38–39
Phalen test, for wrist pain, 51
Physical therapy, role of, in treatment of cervical disk disease, **435–449**
active modalities, 435–441
passive modalities, 441–446
Pins, for comminuted distal radius fractures, 3
Plaster, for comminuted distal radius fractures, 3
Plica, excision of, 596

Plica *(Continued)*
synovial, 536–538
Plica syndrome, **613–618**
anatomy, 613–615
clinical findings, 615–616
diagnosis, 616–617
embryology, 613
pathophysiology, 615
treatment, 617–618
Pneumatic compression stockings, in prophylaxis of deep venous thrombosis, 362
Polyethylene wear, in total hip arthroplasty, 21
Polymethyl methacrylate (PMMA), in total hip arthroplasty, 212, 213
Porous coating fracture, in total hip arthroplasty, 213
Posterior cervical laminaplasty, for cervical myelopathy, 495, 497, 498, 500, 503
Posterior cervical laminectomy, for cervical myelopathy, 495, 497, 498, 500, 503
Posterior fusion for stabilization of cervical spine after laminectomy, 507–508
Postlaminectomy kyphosis, **505–511**
anatomy and biomechanics, 505
incidence, 505–507
surgical treatment, 507–509
Post-traumatic arthrosis, chronic wrist pain from, 60
Postural awareness, for cervical disk disease, 441
Primary closure, of fingertip amputation, 151
Prosthesis removal, in total hip revision arthroplasty, 313–319
Proximal and distal realignment, complications of, in patellofemoral joint surgery, 701–702
Proximal interphalangeal joint, injuries to, 144
Proximal patellar realignment, for patellofemoral dysfunction, 625–627
Proximal phalangeal fractures, treatment principles for, **35–40**
Proximal pole excision, for scaphoid fractures, 15
Proximal realignment, complications of, in patellofemoral joint surgery, 700–701
Proximal row carpectomy, for scaphoid fractures, 15
Pseudomonas aeruginosa, hand infections from, 173
Psoriasis, of hand, 182
Psychological aspects of patellofemoral pain, 565
Pudendal vessel injury, in total hip arthroplasty, 224
Pyogenic granuloma, of hand, 195

Quadrant system, in total hip arthroplasty, 224–226, 227
Quadriceps rupture, 576–577
Quadriceps tendon disruption, 688–691

Radial styloidectomy, for scaphoid fractures, 15
Radiculopathy, cervical, 375–377
in degenerative disease, 384–386
surgical management of, **461–474**
anatomic considerations, 461–462
anterior approach, 462–470
anterior versus posterior approach, 472–473
posterior approach, 470–472
Radiographic evaluation, of degenerative cervical spine, **395–403**
Radiography, for chronic wrist pain, 53–58, 60, 62
in evaluation of painful total hip arthroplasty, 306–307
for measurement of leg length discrepancy, 202, 203–204
of metacarpal fractures, 19
of osteoarthritis at base of thumb, 90–91
of patellar instability, 621–622
of patellar tilt, 603–604
of patellofemoral joint, 523–525, 550, 589–591, 633–634
of scaphoid fractures, 9–10
Radionuclide bone scan, of patellofemoral joint, 525–526, 591
Radiotherapy, in preventing heterotopic ossification after total hip arthroplasty, 352–356
Radius, distal, comminuted fractures of, **1–6**
Rasping, in total hip arthroplasty, 249–250
Referred pain, in degenerative cervical disease, 389–391
Reflex sympathetic dystrophy, 582–583, 707
Rehabilitation, for extensor tendon injuries, 146
for flexor tendon injuries, 134–136
after lateral release surgery, 610–611
after Maquet osteotomy, 649–650
of patellofemoral joint disorders, **555–566**
for phalangeal fractures, 39
Renal effects, of NSAIDs, 427
Resection arthroplasty, after removal of infected hip prosthesis, 270, 272
Resurfacing, patellar, for patellofemoral arthritis, **665–673**
Retinacular reconstruction, for carpal tunnel syndrome, 107–108
Ring finger, carpometacarpal fracture-dislocations of, 29
Rolando's fractures, 27–38
Rotational axis hinge, in phalangeal fractures, 37

Salvage procedures, complications of, in patellofemoral joint surgery, 702–704
for scaphoid fractures, 15
Scaphoid fractures, **7–17**
acute, 10–11
acute displaced, 11–13
anatomy and kinematics, 7
avascular necrosis, 14
classification, 10
clinical evaluation, 7–9
complex, 14
delayed union, 13
differential diagnosis, 9
malunion, 15–16
nonunion, 13–14
radiographic evaluation, 9–10
salvage procedures, 15
treatment, 10–14
Scaphoid stress test, for wrist pain, 51
Sciatic nerve injury, in total hip arthroplasty, 228–230
Scintigraphy, in total hip arthroplasty sepsis, 262
Sepsis, prevention and diagnosis of, in total hip arthroplasty, **259–264**
microbiology, 263
natural history and diagnosis, 261–263
prevention and treatment of, in total hip replacement surgery, **265–277**
bacteriology, 266
incidence, 266–267
prophylaxis, 267–269
sources of infection, 265–266

treatment of established infections, 269–275
Septic arthritis, of hand, 178–180
Sheath repair, for flexor tendon injuries, 134
Silvadene, for upper extremity burns, 163
Silver sulfadiazine, for upper extremity burns, 163
Simmons technique, for anterior cervical grafts, 480
Sindig-Larsen-Johansson syndrome and extensor tendinitis, 579–580
Skiing, thumb injury from, 41–42
Skin grafting, for fingertip amputation, 150, 151–152
for upper extremity burns, 165
Skin necrosis, from tibial tubercle transfer, 638
Small finger, carpometacarpal fracture-dislocations of, 29
Smith-Robinson technique, for anterior cervical grafts, 479–480
Soft cervical collar, for cervical disk disease, 442
Soft disk herniation, surgery for, 468–469
Soft-tissue lesions, of hand, 189–193
Somatosensory evoked potentials, in total hip arthroplasty, 232–233
Spica casts, for scaphoid fractures, 11
Spinal manipulation. See *Manipulation, spinal.*
Splinting, after release of transverse carpal ligament, 108
Spondylosis deformans, of cervical spine, 396, 397
Sporotrichosis, of hand, 182
Squamous cell carcinoma, of hand, 192–193
Stability, as surgical indication in cervical myelopathy, 498
Staphylococci, in total hip arthroplasty sepsis, 263
Staphylococcus, hand infections from, 181
Staphylococcus aureus, hand infections from, 171, 172, 173, 174, 177, 178, 179
Staphylococcus epidermidis, hand infections from, 172
Stener lesion, of thumb metacarpophalangeal joint, 45
Stereophotogrammetry, of patella, 519, 520
Steroids, for patellofemoral pain, 552, 553
for treatment of cervical disk degeneration, 424–425
Streptococcus, hand infections from, 171, 178, 181
Stress shielding, with proximal femoral bone loss after total hip arthroplasty, 292
Stretching, for patellofemoral joint disorders, 560–562
Styloidectomy, radial, for scaphoid fractures, 15
Subcutaneous transposition, for cubital tunnel syndrome, 120
Subluxation, patellar, chronic, 571
patellar, patellectomy for, 658–659
of patellofemoral joint, 640
Submuscular transposition, for cubital tunnel syndrome, 120
Subungual hematoma, 156
Sulfamylon, for upper extremity burns, 163, 168
Superior gluteal vessel injury, in total hip arthroplasty, 224
Surgery, for cervical myelopathy, 495–504
for management of cervical radiculopathy, 461–474
anatomic considerations, 461–462
anterior approach, 462–470
anterior versus posterior approach, 472–473
posterior approach, 470–472
for patellar instability, **619–630**
patellofemoral joint, complications of. See *Patellofemoral joint surgery, complications of.*
Swallowing difficulty, with degenerative cervical disease, 393
Synovectomy, for carpal tunnel syndrome, 107
Synovial plica syndrome, 581–582
Synovial space infections, of hand, 176–177
Taping, for patellofemoral pain, 551
Tc-99 bone scan, in evaluation of painful total hip arthroplasty, 308–309
Templating, in leg length discrepancy, 204, 207
Tendinitis, anatomy, 66
calcific, 71–72
chronic wrist pain from, 60, 62
common problems of, in hand and forearm, **65–74**
De Quervain's disease, 67–69
diagnosis, 67
digital flexor, 71
extensor carpi ulnaris, 70
of extensor compartments, 67–70
extensor digiti minimi, 70
extensor indicis proprius syndrome, 69–70
extensor pollicis longus, 69
flexor carpi radialis, 71
flexor carpi ulnaris, 70–71
of flexor compartments, 70–72
intersection syndrome, 69
local corticosteroid injection, 72–73
occupational factors, 67
pathophysiology, 65–66
systemic factors, 66–67
Tendon rupture repair/reconstruction, complications of, in patellofemoral joint surgery, 704–705
Tendon sheath, giant cell tumors of, in hand, 190
Tennis elbow, **75–82**
diagnosis, 75–76
differential diagnosis, 76
operative management, 79–81
pathophysiology, 76
treatment, 76–79
Tenorrhaphy, for flexor tendon injuries, 130–134
Thenar flap, for fingertip amputation, 153
Thermal and electrical burns of upper extremity, acute management of, **161–169**
Three-dimensional magnetic resonance imaging, for diagnosis of nerve root compression, 412–415
Thumb, gamekeeper's, **41–48**
osteoarthritis at base of, **83–101**
clinical presentation and physical examination, 89–90
functional anatomy, 83–86
pathophysiology of disease, 86–89
radiographic assessment, 90–91
treatment, 91–99
Thumb carpometacarpal joint fractures and dislocations, 27–28
Thumb metacarpal shaft fractures, 26–27
Thumb metacarpophalangeal joint, anatomy of, 42–43
arthrography of, 45–46
classification of injuries to, 45
fractures of, 44–45
kinematics of, 43–44
laxity of, 45
radiography of, 45
Stener lesion of, 45
surgery for, 46–47
Tilt, of patellofemoral joint, 640
Tinea nigra, of hand, 182
Tinea unguium, of hand, 182
Tinel test, for wrist pain, 51
Titanium femoral head wear, in total hip arthroplasty, 214–215
Tomograms, of metacarpal fractures, 19
Total hip arthroplasty, biomaterial failure, **211–217**
corrosion, 212, 215
fracture, 212–214

Total hip arthroplasty *(Continued)*
wear, 212, 214–215
complications of, **201–368**
trochanteric osteotomy, 321–333
deep venous thrombosis in, **359–364**
diagnosis, 360–361
pathogenesis, 359–360
prophylaxis, 361–363
recommendations, 363
treatment, 363
evaluation of painful, **303–311**
arthrography, 307–308
aspiration, 308
history, 303–305
laboratory studies, 305–306
nuclear medicine, 308–310
physical examination, 305
radiographs, 306–307
failure of cementless fixation of femoral component in, **335–346**
femoral fractures associated with, **249–257**
femoral nerve palsies after, 230–231
heterotopic bone formation after, **347–358**
classification, 348–349
etiology, 347–348
prevention, 349–356
resection, 356
instability after, **237–248**
incidence, 237
mechanism, 237
risk factors, 237–244
treatment, 244–247
leg length discrepancy in, **201–209**
definitions, 202
intraoperative assessment, 205, 207–208
postoperative assessment and management, 208
preoperative assessment, 203–204
preoperative planning, 204–205
techniques of assessment, 202–203
neural and vascular injury in, **219–235**
neural injury in, 226–230
obturator nerve palsies after, 231–232
periprosthetic bone loss of acetabulum, 279–290
proximal femoral bone loss after, **291–302**
etiology, 291–293
patients, 299
preoperative planning, 293–294
results, 299–300
surgical management, 294–299
quadrant system in, 224–226, 227
revision, prosthesis and cement removal techniques, **313–319**
sepsis prevention and diagnosis, **259–264**
microbiology, 263
natural history and diagnosis, 261–263
treatment of established infections, 269–275
sepsis prevention and treatment in, **265–277**
bacteriology, 266
incidence, 266–267
prophylaxis, 267–269
sources of infection, 265–266
somatosensory evoked potentials during, 232–233
vascular and neural injury in, **219–235**
vascular injury in, 219–224
Total hip revision arthroplasty, **313–319**
acetabular preparation, 316–317
femoral component extraction, 315–316
femoral preparation, 317–319
instrumentation, 314–315
patient assessment, 314
surgical options, 313–314
technical rationale, 314
Total knee arthroplasty, patella in, **675–686**
complications, 677–684
controversy over resurfacing, 675–677
patellar resurfacing as part of, 668–672
Transcutaneous electrical nerve stimulation (TENS), for cervical disk disease, 444–445
Transverse carpal ligament, release of, for carpal tunnel syndrome, 107–108
Transverse lesion syndrome, 489
Trauma, patellofemoral, 573, 577–583
complications of treatment for, 704
Tricyclic antidepressants, for cervical disk degeneration, 428–430
Trigger digits, digital flexor tendinitis and, 71
Trigger point treatment, for cervical disk disease, 444
Trochanteric osteotomy, complications of, **321–333**
blood loss and operative duration, 328–329
dislocation, 326–327
heterotopic ossification, 327–328
nerve injury, 328
nonunion, 321–325
pain, 325–326
recommendations, 329–331
wire migration, 328
indications for, 329–330
technique of, 330–331
Tumors, common hand, **187–196**
benign, 187–189
peripheral nerve, 193–194
soft-tissue, 189–193
vascular, 194–195
Two-dimensional magnetic resonance imaging, for diagnosis of nerve root compression, 410–412

Ulnar collateral ligament of thumb metacarpophalangeal joint. See *Thumb metacarpophalangeal joint.*
Ulnar impaction syndrome, chronic wrist pain from, 60
Uncovertebral joint arthrosis, of cervical spine, 396
Unicameral bone cysts, of hand, 189
Upper extremity, acute management of thermal and electrical burns of, **161–169**

Vascular and neural injury in total hip arthroplasty, **219–235**
Vascular injury, in total hip arthroplasty, 219–224
of common femoral vessels, 222–223
of external iliac artery and vein, 219–222
of gluteal vessels, 224
of obturator vessels, 224
of profundus artery, 224
of profundus femoris vessels, 223–224
of pudendal vessels, 224
Vascular myelopathy syndrome, with degenerative cervical disease, 393
Vascular syndrome, and spondylosis, 489
Vascular tumors, of hand, 194–195
Vastus medialis oblique, in rehabilitation of patellofemoral joint disorders, 558, 559, 560
Venography, for diagnosis of deep venous thrombosis, 360
Vibrio vulnificus, hand infections from, 183

Viral infections, of hand, 181–182

Warfarin, for deep venous thrombosis, 362, 363
Wear, of biomaterials in total hip arthroplasty, 212, 214–215
White blood cell count, in evaluation of painful total hip arthroplasty, 305
Wire migration, and trochanteric osteotomy, 328
Work place modification, for cervical disk disease, 440
Wound complications, after Maquet osteotomy, 650–651
Wound management, for electrical burns, 168–169
Wrist pain, chronic, **49–64**
  differential diagnosis, 50
  history, 49–50
  nontraumatic causes, 59, 60–63
  physical examination, 50–51, 53
  radiographic examination, 53–58, 60
  traumatic causes, 52, 53–58, 60